


**SMITH FLUID CONTROLS**      **PPP Part No**

Product		DESCRIPTION		CDN LIST
<b>TRAP PRIMER</b>				
2694	PR-500	Trap Defender - Pressure Drop Activated Trap Seal Primer	\$	104.77
2694-SW	PR-500	Trap Defender - 1/2" (13mm) copper sweat union	\$	104.77
2694-UN	PR-500	Trap Defender - 1/2" (13mm) NPT union	\$	128.43



**ELECTRONIC TRAP PRIMER**



FIGURE NO. 273-12V




FIGURE NO. 273-B-12V

273-12V	MP-500-12V	Surface Mounted with single 1/2" (13 mm) NPTF Inlet/Outlet 12VDC	\$	1,882.50
273-024	MP-500-24V	Surface Mounted with single 1/2" (13 mm) NPTF Inlet/Outlet 24V - Hardwired Connection	\$	1,089.35
273-120	MP-500-115V	Surface Mounted with single 1/2" (13 mm) NPTF Inlet/Outlet 120V - Hardwired connection	\$	1,089.35



273-240	MP-500-220V	Surface Mounted with single 1/2" (13 mm) NPTF Inlet/Outlet 240V - Hardwired connection	\$	1,089.35
273-B-12V	MPB-500-12V	Surface Mtd with Box, single 1/2" (13 mm) NPTF Inlet/Outlet 12VDC	\$	2,109.26
273-B-024	MPB500-24V	Surface Mtd with Box, single 1/2" (13 mm) NPTF Inlet/Outlet 24V - Hardwired connection	\$	1,239.31
273-B-120	MPB-500-115V	Surface Mtd with Box, single 1/2" (13 mm) NPTF Inlet/Outlet 120V - Hardwired Connection	\$	1,463.37
273-B-240	MPB-500-220V	Surface Mtd with Box, single 1/2" (13 mm) NPTF Inlet/Outlet 240V - Hardwired Connection	\$	1,463.37
273-12V-EMS		With Optional Interface with Facilities Energy Mgmt Systems - EMS Surface Mounted with single 1/2" (13 mm) NPTF Inlet/Outlet 12VDC		
273-024-EMS		Surface Mounted with single 1/2" (13 mm) NPTF Inlet/Outlet 24V - Hardwired connection	\$	1,089.35
273-120-EMS		Surface Mounted with single 1/2" (13 mm) NPTF Inlet/Outlet 120V - Hardwired connection	\$	1,089.35
273-240-EMS		Surface Mounted with single 1/2" (13 mm) NPTF Inlet/Outlet 240V - Hardwired connection	\$	1,089.35
273-B-12V-EMS		Surface Mtd with Box, single 1/2" (13 mm) NPTF Inlet/Outlet 12VDC		
273-B-024-EMS	MPB-500-EMS-24V	Surface Mtd with Box, single 1/2" (13 mm) NPTF Inlet/Outlet 24V - Hardwired connection	\$	1,239.31
273-B-120-EMS		Surface Mtd with Box, single 1/2" (13 mm) NPTF Inlet/Outlet 120V - Hardwired Connection	\$	1,463.37
273-B-240-EMS		Surface Mtd with Box, single 1/2" (13 mm) NPTF Inlet/Outlet 240V - Hardwired Connection	\$	1,463.37
273-SW-024	SMP-500-24V	Surface Mounted with single 1/2" (13 mm) NPTF Inlet/Outlet 24V - Hardwired connection	\$	1,071.37
273-SW-120	SP-500-115V	Surface Mounted with single 1/2" (13 mm) NPTF Inlet/Outlet 120V - Wall Plug 6' (1.83m) long	\$	1,071.37
273-SW-240	SMP-500-24V	Surface Mounted with single 1/2" (13 mm) NPTF Inlet/Outlet 240V - Hardwired connection	\$	1,071.37
273-SW-24V-EMS	SP-500-24V	Surface Mounted with single 1/2" (13 mm) NPTF Inlet/Outlet 240V - Hardwired connection with optional EMS Interface		




Figure 270FM



Figure 270SM

270FM-04	PT-4	Flush Mount Enclosure with 4 outlets	\$	2,125.27
270FM-06	PT-5 & PT-6	Flush Mount Enclosure with 6 outlets	\$	2,171.79
270FM-08	PT8	Flush Mount Enclosure with 8 outlets	\$	2,237.29
270FM-10	PT10	Flush Mount Enclosure with 10 outlets	\$	2,264.89
270FM-12	PT12	Flush Mount Enclosure with 12 outlets	\$	2,311.40
270FM-14		Flush Mount Enclosure with 14 outlets	\$	2,311.40
270FM-16	PT-1320-15	Flush Mount Enclosure with 16 outlets	\$	2,776.79
271FM-18		Flush Mount Enclosure with 18 outlets	\$	2,776.79
271FM-20	PT-1320-20	Flush Mount Enclosure with 20 outlets	\$	2,816.47
271FM-22		Flush Mount Enclosure with 22 outlets	\$	3,169.81
271FM-24		Flush Mount Enclosure with 24 outlets	\$	3,169.81
272SM-26	PTS-2130-25	Flush Mount Enclosure with 26 outlets	\$	3,593.80
272FM-28		Flush Mount Enclosure with 28 outlets	\$	3,593.80
272SM-30	PTS-2130-30	Flush Mount Enclosure with 30 outlets	\$	3,593.80
272FM-32		Flush Mount Enclosure with 32 outlets	\$	3,593.80
270SM-04	PTS-4	Surface Mount Enclosure with 4 outlets	\$	2,230.41
270SM-06	PTS-5 & PTS-6	Surface Mount Enclosure with 6 outlets	\$	2,266.62
270SM-08	PTS-8	Surface Mount Enclosure with 8 outlets	\$	2,333.81
270SM-10	PTS-10	Surface Mount Enclosure with 10 outlets	\$	2,361.41
270SM-12	PTS-12	Surface Mount Enclosure with 12 outlets	\$	2,409.65
270SM-14		Surface Mount Enclosure with 14 outlets	\$	2,861.25
270SM-16	PTS-1320-15	Surface Mount Enclosure with 16 outlets	\$	2,861.25
271SM-18		Surface Mount Enclosure with 18 outlets	\$	2,861.25
271SM-20	PTS-1320-20	Surface Mount Enclosure with 20 outlets	\$	2,861.25
271SM-22		Surface Mount Enclosure with 22 outlets	\$	2,897.18
271SM-24		Surface Mount Enclosure with 24 outlets	\$	2,897.18
272SM-26	PTS-2130-25	Surface Mount Enclosure with 26 outlets	\$	3,593.80
272SM-28		Surface Mount Enclosure with 28 outlets	\$	3,593.80
272SM-30	PTS-2130-30	Surface Mount Enclosure with 30 outlets	\$	3,593.80
272SM-32		Surface Mount Enclosure with 32 outlets	\$	3,593.80
271FM-04-CTS		Flush Mount Enclosure with 4 outlets with push-in connectors	\$	2,909.25
271FM-08-CTS		Flush Mount Enclosure with 8 outlets with push-in connectors	\$	3,030.63
271FM-12-CTS		Flush Mount Enclosure with 12 outlets with push-in connectors	\$	3,110.90
271FM-16-CTS		Flush Mount Enclosure with 16 outlets with push-in connectors	\$	3,615.08
271FM-20-CTS		Flush Mount Enclosure with 20 outlets with push-in connectors	\$	4,040.81

272FM-24-CTS		Flush Mount Enclosure with 24 outlets with push-in connectors	\$	4,040.81
272FM-28-CTS		Flush Mount Enclosure with 28 outlets with push-in connectors	\$	4,249.95
272FM-32-CTS		Flush Mount Enclosure with 32 outlets with push-in connectors	\$	4,249.95
272FM-36-CTS		Flush Mount Enclosure with 36 outlets with push-in connectors	\$	4,856.80
271SM-04-CTS		Surface Mount Enclosure with 4 outlets with push-in connectors	\$	3,023.15
271SM-08-CTS		Surface Mount Enclosure with 8 outlets with push-in connectors	\$	3,135.20
271SM-12-CTS		Surface Mount Enclosure with 12 outlets with push-in connectors	\$	3,217.36
271SM-16-CTS		Surface Mount Enclosure with 16 outlets with push-in connectors	\$	3,613.23
271SM-20-CTS		Surface Mount Enclosure with 20 outlets with push-in connectors	\$	3,745.81
272SM-24-CTS		Surface Mount Enclosure with 24 outlets with push-in connectors	\$	3,745.81
272SM-28-CTS		Surface Mount Enclosure with 28 outlets with push-in connectors	\$	4,249.95
272SM-32-CTS		Surface Mount Enclosure with 32 outlets with push-in connectors	\$	4,249.95
272SM-36-CTS		Surface Mount Enclosure with 36 outlets with push-in connectors	\$	9,106.75
		With Optional Interface with Facilities Energy Mgmt Systems - EMS		
270FM-04-EMS	PT-4-EMS	Flush Mount Enclosure with 4 outlets	\$	2,125.27
270FM-06-EMS	PT-6-EMS	Flush Mount Enclosure with 6 outlets	\$	2,171.79
270FM-08-EMS	PT-8-EMS	Flush Mount Enclosure with 8 outlets	\$	2,237.29
270FM-10-EMS	PT-10-EMS	Flush Mount Enclosure with 10 outlets	\$	2,264.89
270FM-12-EMS	PT-12-EMS	Flush Mount Enclosure with 12 outlets	\$	2,311.40
270FM-14-EMS		Flush Mount Enclosure with 14 outlets	\$	2,311.40
270FM-16-EMS		Flush Mount Enclosure with 16 outlets	\$	2,776.79
270FM-18-EMS		Flush Mount Enclosure with 18 outlets		
271FM-20-EMS	PT-1320-EMS	Flush Mount Enclosure with 20 outlets	\$	2,816.47
271FM-22-EMS		Flush Mount Enclosure with 22 outlets	\$	3,169.81
271FM-24-EMS		Flush Mount Enclosure with 24 outlets	\$	3,169.81
272FM-26-EMS		Flush Mount Enclosure with 26 outlets	\$	3,593.80
272FM-28-EMS		Flush Mount Enclosure with 28 outlets	\$	3,593.80
272FM-30-EMS	PT-2130-EMS	Flush Mount Enclosure with 30 outlets	\$	3,593.80
272FM-32-EMS		Flush Mount Enclosure with 32 outlets	\$	3,593.80
270SM-04-EMS	PTS-4-EMS	Surface Mount Enclosure with 4 outlets	\$	2,230.41
270SM-06-EMS	PTS-6-EMS	Surface Mount Enclosure with 6 outlets	\$	2,266.62
270SM-08-EMS	PTS-8-EMS	Surface Mount Enclosure with 8 outlets	\$	2,333.81
270SM-10-EMS	PTS-10-EMS	Surface Mount Enclosure with 10 outlets	\$	2,361.41
270SM-12-EMS	PTS-12-EMS	Surface Mount Enclosure with 12 outlets	\$	2,409.65
270SM-14-EMS		Surface Mount Enclosure with 14 outlets	\$	2,861.25
270SM-16-EMS		Surface Mount Enclosure with 16 outlets	\$	2,861.25
271SM-18-EMS		Surface Mount Enclosure with 18 outlets	\$	2,861.25
271SM-20-EMS	PTS-1320-EMS	Surface Mount Enclosure with 20 outlets	\$	2,861.25
271SM-22-EMS		Surface Mount Enclosure with 22 outlets	\$	2,899.71
271SM-24-EMS		Surface Mount Enclosure with 24 outlets	\$	2,899.71
272SM-26-EMS		Surface Mount Enclosure with 26 outlets	\$	3,593.80
272SM-28-EMS		Surface Mount Enclosure with 28 outlets	\$	3,593.80
272SM-30-EMS	PTS-2130-EMS	Surface Mount Enclosure with 30 outlets	\$	3,593.80
272SM-32-EMS		Surface Mount Enclosure with 32 outlets	\$	3,593.80


**DISTRIBUTION DEVICES**



2694DA



2694DA-CTS




2683

2694DA-ABS	DU-U	ABS Distribution Units (1-4 outlets)	\$	60.51
2694DA-ABS-500	DU-U-500	ABS Distribution Units (1-4 outlets) 1/2" (13 mm) O.D. Comp. Ftg	\$	50.37
2694DA-ABS-625	DU-U-625	ABS Distribution Units (1-4 outlets) 5/8" (16 mm) O.D. Comp. Ftg	\$	93.26
2694DA-ABS-625-CTS	DU-U-625PTC	ABS Distribution Units (1-4 outlets) 5/8" (16 mm) O.D. Oush-In Ftg		
2694DA	DU-4	Lead-Free Brass Distribution Units (1-4 outlets)	\$	54.08
2694DA-500	DU-4-500	Lead-Free Brass Distribution Units (1-4 outlets) 1/2" (13 mm) O.D. Comp. Ftg	\$	94.63
2694DA-625	DU-4-625	Lead-Free Brass Distribution Units (1-4 outlets) 5/8" (16 mm) O.D. Comp. Ftg	\$	93.95
2694DA-625-CTS	DU-4-625PTC	Lead-Free Brass Distribution Units (1-4 outlets) 5/8" (16 mm) O.D. Oush-In Ftg		
2683-1	695-D40	Copper Distribution Unit - (4) 1/4" (6 mm) male sweat ends	\$	78.42
2683-2	695-D432	Copper Distribution Unit - (2) 1/4" (6 mm) male sweat ends & (2) 1/4" (6 mm) closed ends	\$	78.42
2683-3	695-D432F	Copper Distribution Unit - (4) 1/2" (13 mm) NPT Outlets	\$	90.93
2683-4	695-D30	Copper Distribution Unit - (3) 1/4" (6 mm) male sweat ends	\$	66.23
2683-5	695-D20	Copper Distribution Unit - (2) 1/4" (6 mm) male sweat ends	\$	70.73
2683-6	695-D432S	Copper Distribution Unit - (2) 1/2" (13 mm) female sweat ends & (2) 1/4" (6 mm) closed ends	\$	92.98

**AIR GAPS**



280



280	AG-500	Cast Lead-Free Brass 1/2" (13 mm) NPT Inlet/Outlet	\$	55.44
281-T	RVAG-750CS	Cast Lead-Free Brass 3/4" (19 mm) NPT Inlet x 1-1/2" (38 mm) NPT Outlet	\$	104.05
281-S	RVAG-750TH	Cast Lead-Free Brass 3/4" (19 mm) Sweat Inlet x 1-1/2" (38 mm) Sweat Outlet	\$	78.46

**TRAP PRIMER ADAPTERS**



276-A



276-P

276-2A		Schedule 40 ABS 2" (50 mm) with 1/2" (13 mm) NPT Female Con.		
276-3A		Schedule 40 ABS 3" (75 mm) with 1/2" (13 mm) NPT Female Con.		
276-4A	PPA-4A	Schedule 40 ABS 4" (102 mm) with 1/2" (13 mm) NPT Female Con.	\$	46.47
276-2A5	PPA-2A500	Schedule 40 ABS 2" (50 mm) with 1/2" (13 mm) OD Compression	\$	37.18
276-3A5	PPA-3A500	Schedule 40 ABS 3" (75 mm) with 1/2" (13 mm) OD Compression	\$	37.18
276-4A5	PPA-4A500	Schedule 40 ABS 4" (102 mm) with 1/2" (13 mm) OD Compression	\$	60.83
276-2A6	PPA-2A500	Schedule 40 ABS 2" (50 mm) with 5/8" (16 mm) OD Compression	\$	33.80
276-3A6	PPA-3A625	Schedule 40 ABS 3" (75 mm) with 5/8" (16 mm) OD Compression	\$	42.57
276-4A6	PPA-4A625	Schedule 40 ABS 4" (102 mm) with 5/8" (16 mm) OD Compression	\$	63.21
276-2A6-CTS	PPA-2A625PTC	Schedule 40 ABS 2" (50 mm) with 5/8" (16 mm) OD Push-In	\$	36.65
276-3A6-CTS	PPA-3A625PTC	Schedule 40 ABS 3" (75 mm) with 5/8" (16 mm) OD Push-In	\$	51.02
276-4A6-CTS	PPA-4A625PTC	Schedule 40 ABS 4" (102 mm) with 5/8" (16 mm) OD Push-In	\$	73.35
276-2P	PPA-2P	Schedule 40 PVC 2" (50 mm) with 1/2" (13 mm) NPT Female Con.	\$	18.43
276-3P	PPA-3P	Schedule 40 PVC 3" (75 mm) with 1/2" (13 mm) NPT Female Con.	\$	34.16
276-4P	PPA-4P	Schedule 40 PVC 4" (102 mm) with 1/2" (13 mm) NPT Female Con.	\$	72.74
276-2P5	PPA-2P500	Schedule 40 PVC 2" (50 mm) with 1/2" (13 mm) OD Compression	\$	28.77
276-3P5	PPA-3P500	Schedule 40 PVC 3" (75 mm) with 1/2" (13 mm) OD Compression	\$	44.90
276-4P5	PPA-4P500	Schedule 40 PVC 4" (102 mm) with 1/2" (13 mm) OD Compression	\$	79.99
276-2P6	PPA-2P625	Schedule 40 PVC 2" (50 mm) with 5/8" (16 mm) OD Compression	\$	28.93
276-3P6	PPA-3P625	Schedule 40 PVC 3" (75 mm) with 5/8" (16 mm) OD Compression	\$	49.01
276-4P6	PPA-4P625	Schedule 40 PVC 4" (102 mm) with 5/8" (16 mm) OD Compression	\$	90.77
276-2P6-CTS	PPA-2P625PTC	Schedule 40 PVC 2" (50 mm) with 5/8" (16 mm) OD Push-In	\$	39.27
276-3P6-CTS	PPA-3P625PTC	Schedule 40 PVC 3" (75 mm) with 5/8" (16 mm) OD Push-In	\$	63.29
276-4P6-CTS	PPA-4P625PTC	Schedule 40 PVC 4" (102 mm) with 5/8" (16 mm) OD Push-In	\$	95.68

**WATER HAMMER ARRESTERS**



520-A	SC-500	Piston Type Size A, 32 F.U. Capacity - 1/2" (13 mm) NPT
520-B	SC-750	Piston Type Size B, 60 F.U. Capacity - 3/4" (19 mm) NPT
520-C	SC-1000	Piston Type Size C, 113 F.U. Capacity - 1" (25 mm) NPT
520-T-A	SC-500A	Piston Type Size A, 1 - 11 F.U. Capacity - 1/2" (13 mm) NPT
520-T-B	SC-750B	Piston Type Size B, 12 - 32 F.U. Capacity - 3/4" (19 mm) NPT
520-T-C	SC-1000C	Piston Type Size C, 33 - 60 F.U. Capacity - 1" (25 mm) NPT
520-T-D	SC-1250-D	Piston Type Size D, 61 - 113 F.U. Capacity - 1-1/4" (32 mm) NPT
520-T-E	SC-1500E	Piston Type Size E, 114 - 154 F.U. Capacity - 1-1/2" (38 mm) NPT
520-T-F	SC-2000F	Piston Type Size F, 155 - 330 F.U. Capacity - 2" (50 mm) NPT
520-SC-A	SWA-500A	Piston Type Size A, 1 - 11 F.U. Capacity - 1/2" (13 mm) / 5/8" (16 mm) CTS Push-In
520-SC-B	SWA-750B	Piston Type Size B, 12 - 32 F.U. Capacity - 3/4" (19 mm) / 7/8" (22 mm) CTS Push-In
520-SC-C	SWA-1000C	Piston Type Size C, 33 - 60 F.U. Capacity - 1" (25 mm) / 1-1/8" (29 mm) CTS Push-In
520-SC-D	SWA-1250D	Piston Type Size D, 61 - 113 F.U. Capacity - 1-1/4" (32 mm) / 1-3/8" (35 mm) CTS Push-In
520-SC-E	SWA-1500E	Piston Type Size E, 114 - 154 F.U. Capacity - 1-1/2" (38 mm) / 1-5/8" (41 mm) CTS Push-In
520-SC-F	SWA-2000F	Piston Type Size F, 155 - 330 F.U. Capacity - 2" (50 mm) / 2-1/8" (29 mm) CTS Push-In
520-T-AA	MM-500TH	Piston Type Size AA, 1 - 3 F.U. Capacity - 1/2" (13 mm) NPT
520-SC-AA	MM-500SWA	Piston Type Size AA, 1 - 3 F.U. Capacity - 1/2" (13 mm) NPT / 5/8" (16 mm) CTS Push-In
520-T-A-NP	SNP-500	Piston Type Size A, 1 - 11 F.U. Capacity - 1/2" (13 mm) NPT, Nickel Plated
520-T-B-NP	SNP-750	Piston Type Size B, 12 - 32 F.U. Capacity - 3/4" (19 mm) NPT, Nickel Plated
520-T-C-NP	SNP-1000	Piston Type Size C, 33 - 60 F.U. Capacity - 1" (25 mm) NPT, Nickel Plated
520-T-D-NP	SNP-1250	Piston Type Size D, 61 - 113 F.U. Capacity - 1-1/4" (32 mm) NPT, Nickel Plated
520-T-E-NP	SNP-1500	Piston Type Size E, 114 - 154 F.U. Capacity - 1-1/2" (38 mm) NPT, Nickel Plated
520-T-F-NP	SNP-2000	Piston Type Size F, 155 - 330 F.U. Capacity - 2" (50 mm) NPT, Nickel Plated

**DIELECTRIC FITTINGS****Thread to Thread**

Thread to Thread



Thread to Grove



Grove to Grove

950-T050	19100P	Thread x Thread 1/2" (13 mm), 3" (75 mm) long	\$	30.42
950-T075	19125P	Thread x Thread 3/4" (19 mm), 3" (75 mm) long	\$	30.42
950-T1	19145P	Thread x Thread 1" (25 mm), 4" (102 mm) long	\$	46.63
950-T125	19155P	Thread x Thread 1-1/4" (32 mm), 4" (102 mm) long	\$	66.91
950-T150	19165P	Thread x Thread 1-1/2" (38 mm), 4" (102 mm) long	\$	75.04
950-T2	19175P	Thread x Thread 2" (50 mm), 4" (102 mm) long	\$	91.25
950-T250	19180P	Thread x Thread 2-1/2" (64 mm), 6" (152 mm) long	\$	125.73
950-T3	19185P	Thread x Thread 3" (75 mm), 6" (152 mm) long	\$	229.14
950-T4	19195P	Thread x Thread 4" (102 mm), 6" (152 mm) long	\$	308.24
<b>Grooved to Thread</b>				
950-GT1	19146P	Grove x Thread 1" (25 mm), 4" (102 mm) long	\$	128.43
950-GT125	19156P	Grove x Thread 1-1/4" (32 mm), 4" (102 mm) long	\$	196.02
950-GT-150	19166P	Grove x Thread 1-1/2" (38 mm), 4" (102 mm) long		
950-GT2	19176P	Grove x Thread 2" (50 mm), 4" (102 mm) long	\$	223.06
950-GT250	19181P	Grove x Thread 2-1/2" (64 mm), 6" (152 mm) long	\$	135.19
950-GT3	19186P	Grove x Thread 3" (75 mm), 6" (152 mm) long	\$	226.44
950-GT4	19196P	Grove x Thread 4" (102 mm), 6" (152 mm) long	\$	308.24
<b>Groove to Grove</b>				
950-GG2	19200P	Grove x Grove 2" (50 mm), 4" (102 mm) long	\$	91.25
950-GG250	19201P	Grove x Grove 2-1/2" (64 mm), 6" (152 mm) long	\$	125.73
950-GG3	19202P	Grove x Grove 3" (75 mm), 6" (152 mm) long	\$	227.12
950-GG4	19203P	Grove x Grove 4" (102 mm), 6" (152 mm) long	\$	308.24